
HENKEL

1486634

COMPLETE SPECIFICATION

1 SHEET

This drawing is a reproduction of the Original on a reduced scale



PATENT SPECIFICATION

(11) **1 486 634**

(21) Application No. 44985/74 (22) Filed 17 Oct. 1974 (31) Convention Application No. 2 352 266

(32) Filed 18 Oct. 1973 in

(33) Fed. Rep. of Germany (DT)

(44) Complete Specification published 21 Sept. 1977

(51) INT CL² A61K 7/40

5

10

15

20

25

30

35

(52) Index at acceptance A5B 771



٤

10

15

20

25

30

35

(54) PACKAGES CONTAINING TWO OR MORE SKIN-CARE AGENTS IN CONTACT

(71) We, HENKEL & CIE. GMBH., a German Company, of 67 Henkelstrasse, Duesseldorf-Holthausen 4000, Germany, do hereby declare the invention, for which we pray that a patent may be granted to us, and the method by which it is to be performed, to be particularly described in and by the following statement:-

The present invention relates to a skin-care preparation comprising fat-free aqueous gels and anhydrous fatty creams in contact in one packaging container. It is already known to use both anhydrous fatty creams and also fat-free

aqueous gels as skin-care agents in special limited spheres of application. The anhydrous fatty creams which are here concerned are those agents for the care and protection of the skin which are particularly suitable for persons having extremely dry skin. They can, moreover, be used generally to afford protection against the influences of the weather, which severely tax the skin, such as wind, rain snow the effect of streng supply to the skin, such as wind, rain, snow; the effect of strong sunshine; and long bathing in fresh or salt water. A further sphere of application for anhydrous fatty creams is their use as night creams and in the care of severely taxed rough areas of skin, such as for example hands, elbows and heels. By means of special additions, such as substances which absorb ultra-violet rays, moisture agents or other additives, there can be produced on this basis protective agents against the sun, moisturising creams or special creams having a particular effect. Creams of this type rapidly melt on the skin and can therefore be spread easily in a thin and even layer.

The fat-free aqueous gels are also valued as skin-care agents which can be used in special spheres of application. The substances here concerned are chiefly gels based on tragacanth, gelatine, alginates, polyacrylic acid in combination with glycerine and special additives. They are particularly suitable as protective agents during the day and as a foundation for make-up when the facial skin is extremely greasy, and also in the care of roughened hands. At the same time they can be provided with special additives in order to obtain special creams having a particular effect. The fat-free aqueous gels can also be spread easily on the skin

and have a refreshing and cooling effect thereon.

Since the consumers have a wide range of skin types and the skin-care agents are intended to serve the most diverse purposes, it has hitherto been necessary to use various mixtures of the above ingredients and to keep them in numerous individual containers. Such mixtures however require an emulsifying agent if they are to remain stable in storage. It has been found that such emulsifiers often give

SPECIFICATION NO 1486634

By a direction given under Section 17(1) of the Patents Act 1949 this application proceeded in the name of HENKEL KOMMANDITGESELLSCHAFT AUF AKTIEN, a German Company, of 67 Henkelstrasse, 4000 Dusseldorf-Holthausen, Germany.

THE PATENT OFFICE

Bas 46018/18

PATENT SPECIFICATION

(11) **1 486 634**

(21) Application No. 44985/74

(22) Filed 17 Oct. 1974

(31) Conv ntion Application No. 2 352 266

(32) Filed 18 Oct. 1973 in

(33) Fed. Rep. of Germany (DT)

(44) Complete Specification published 21 Sept. 1977

(51) INT CL² A61K 7/40

(52) Index at acceptance A5B 771



(54) PACKAGES CONTAINING TWO OR MORE SKIN-CARE AGENTS IN CONTACT

(71) We, HENKEL & CIE. GMBH., a German Company, of 67 Henkelstrasse, Duesseldorf-Holthausen 4000, Germany, do hereby declare the invention, for which we pray that a patent may be granted to us, and the method by which it is to be performed, to be particularly described in and by the following statement:—

The present invention relates to a skin-care preparation comprising fat-free aqueous gels and anhydrous fatty creams in contact in one packaging container.

It is already known to use both anhydrous fatty creams and also fat-free aqueous gels as skin-care agents in special limited spheres of application. The anhydrous fatty creams which are here concerned are those agents for the care and protection of the skin which are particularly suitable for persons having extremely dry skin. They can, moreover, be used generally to afford protection against the influences of the weather, which severely tax the skin, such as wind, rain, snow; the effect of strong sunshine; and long bathing in fresh or salt water. A further sphere of application for anhydrous fatty creams is their use as night creams and in the care of severely taxed rough areas of skin, such as for example hands, elbows and heels. By means of special additions, such as substances which absorb ultra-violet rays, moisture agents or other additives, there can be produced on this basis protective agents against the sun, moisturising creams or special creams having a particular effect. Creams of this type rapidly melt on the skin and can therefore be spread easily in a thin and even layer.

The fat-free aqueous gels are also valued as skin-care agents which can be used in special spheres of application. The substances here concerned are chiefly gels based on tragacanth, gelatine, alginates, polyacrylic acid in combination with glycerine and special additives. They are particularly suitable as protective agents during the day and as a foundation for make-up when the facial skin is extremely greasy, and also in the care of roughened hands. At the same time they can be provided with special additives in order to obtain special creams having a particular effect. The fat-free aqueous gels can also be spread easily on the skin

and have a refreshing and cooling effect thereon.

Since the consumers have a wide range of skin types and the skin-care agents are intended to serve the most diverse purposes, it has hitherto been necessary to use various mixtures of the above ingredients and to keep them in numerous individual containers. Such mixtures however require an emulsifying agent if they are to remain stable in storage. It has been found that such emulsifiers often give rise to allergies in persons with sensitive skin.

The present invention has for its object the provision of a skin-care combination, which permits the consumer himself to prepare the cream suited to his skin type, the purpose and the weather, which cream is inexpensive and easily

According to the present invention there is provided a skin-care preparation comprising at least one fat-free aqueous gel and at least one anhydrous fatty cream, the gel and the cream being present in a packaging container separately and without partitioning walls between said gel and cream, the gel and the cream being independently accessible in and separately removable from the container and in which the disposition of the gel and the cream in the container enable the gel and the cream to be simultaneously removed from the container.

5

10

15

20

25

30

35

40

45

45

5

10

15

20

25

30

35

40

-	Substances conc rned in the case of the fat-free aqueous gels, n which the combined skin-care agent is based, are usually preparations based on thickeners,	
	such as for xampi tragacanth, gelatine, alginates, agar-agar, methyl cellulose	
5	carboxymethyl cellulose, polyacrylic acid, colloidal silicic acid multivalent	
3	alconols such as glycerine, propylene glycol, sorbitol, so cial additives such as	5
	moisturising agents, extracts of herbs, preservatives, opacifiers, colouring	•
	substances and perfumes.	
	The anhydrous fatty creams on which the combined skin-care agent is based,	
10	are usually preparations based on natural fats, oils, waxes. Vaseline Registered	
10	rade Mark), parailins, latty alcohols, metallic salts of long-chained fatty acids	10
	special additives, such as substances which absorb ultra-violet rave moisturising	
	agents, preservatives, opacifiers, colouring substances and scented oils	
	Since neither product is an emulsion, it is not necessary to use emulsifying	
15	agents, so that the skin-care preparation according to the invention is particularly	
13	suitable for persons having sensitive skin, who tend towards allergies in respect of	15
	individual emulsifying agents.	15
	The skin-care preparation according to the invention enables the consumer	
	number to prepare the optimum cream for his skin-type, the respective purpose	
20	and the weather, by removing portions of the anhydrous fatty cream and the fat-	
20	iree aqueous gel from the container and mixing same, or if need he of using the	20
	annyurous latty cream of the lat-free aqueous get alone. The mixing of the two	
	basic creams in the desired ratio can be effected quickly on the back of the band or	
	m the no of the container. The skin-care agent thus produced is quite	
25	unexpectedly comparable to an emilision of creamy consistency with regard to its	
20	cosmetic properties, its distributability and its canacity for nepetration. The	25
	components of the skin-care preparation of the invention do not become	
	intermingled in the container even when kept for quite long periods	
	Ine appearance of the two components of the combined skin-care agent can	
30	vary considerably, thereby providing a differentiation of the individual	
50	components in accordance with its nature and further substances contained	30
	the city of the substances for hitering ultra-violet rays. The anhydrous fatty organized	
	without further additives is slightly cloudy, almost transparent. The addition of	
	white pigniculs, e.g. utamum dioxide, zinc oxide, magnesium oxide or mettalic	
35	SOUPS, DIEIGIADLY INCIAL SICARALES OF DAIMITATES, gives rise to a white croom. A white	
	colouring is also obtained by the addition of an onacifier inteferably a conclumer	35
	based on polystyrene. A coloured, vitreous cream is obtained by the sole addition	
	of an oil-soluble colouring substance. The general addition of oil-soluble colouring	
	substances with opacifiers, colouring pigments, gold-, silver- or colouring gloss	
40	pigments produces a wide range of variations in colour. The same variety of	
•••	appearance from the clear transparent gel to the coloured gel with gloss effects	40
	can be achieved in the case of the fat-free gel, wherein water-soluble colouring	
	substances are used instead of oil-soluble colouring substances.	
	The packaging containers which are provided, preferably transparent glass or	
45	plastic containers in the form of a jar or a pot, are filled with the two types of	
	component in various arrangements. Various possibilities for arranging them can be seen in the accompanying drawings.	45
	The filling can be effected in much a manage that sixty have a	
	The filling can be effected in such a manner that either before or during the	
	filling a partitioning member is inserted into the jar, and is removed on completion of filling. This can be readily effected after passing through a cooling or normal	
50	path, since both products are thixotropic and filling is effected at approximately 30	
	to 35°C. However, the two products can each be supplied, without an insertion,	50
	from one or several nozzles to the jars, during which process different	
	arrangements and irregular patterns are possible. It is also possible first to half fill	
	the pot with one cream and then to insert the other cream in the centre from a	
55	nozzle which is lowered to the bottom of the pot and then slowly raised during	
	filling. In this way a substantially round ray-shaped core is produced in the centre.	55
	Example.	
	The following examples of anhydrous fatty creams and fat-free aqueous gels	
	may be used in the skin-care preparation of the invention being filled into	
60	containers as indicated in the accompanying drawings.	
		60

						· · · · · · · · · · · · · · · · · · ·	
	Slightly cloudy, almost trai (Cream No. 1).	nsparent,	anhydrous j	fatty cream	•		
	myristyl alcohol	. 2					
	cetyl alcohol		5	.0 "			
5	microcrystalline para	. 20	.0 "		5		
	liquid paraffin	70	.5 "				
	triglyceride of 12-hyd	roxystea	ric acid	2	.0 "		
	Scented oil	0	.5 · "				
10	White anhydrous fatty crea (Cream No. 2).				10		
	myristyl alcohol			2	.0 parts	by weight	
	cetyl alcohol			4	.0 "	-	
	microcrystalline para	microcrystalline paraffin-hydrocarbons					
	liquid paraffin	70	.7 "				
15	colloidal silicic acid			2	.0 "		15
	titanium dioxide	1	.0 "	-			
	scented oil			0	.3 "		
	Various white anhydrous fo	utty crear	ns.				
20		Cream 3	No. 4	5	6		20
	Vaseline (Registered Trade Mark)	10.0	10.0	10.0		parts by weight	-
	Polyethylene wax	_	_	_	10.0	>>	
	Hard Paraffin	20.0	15.0	15.0	_	>>	
25	Liquid paraffin	49.5	52.5	50.4	73.5	**	25
	Ethyleneglycolmono- stearate	_	_	5.0	_	» <u>.</u>	
	Isopropylmyristate	5.0			5.0	**	
	2-octyldodecanol		5.0	10.0	_	"	
30	Triglyceride of middle- chain fatty acids C ₆ —C ₁₂	5.0	5.0	_	_	"	30
	Stearylalcohol	4.0	5.0	_	5.0	**	
	Cetyl alcohol	_		4.0	3.0	,,	
35	Aluminium stearate	2.0			_	"	35
	Colloidal silicic acid	_			2.0		
	Titanium dioxide	1.0	0.5		1.0	,,	
		1.0	V.5		1.0		

	Various white anhydrous for	atty crear	ns.			4		
	·	Cream N . 4		5	6			
	Zinc oxide	3.0	4.0			_		
5	Zinc stearate	_	3.0	5.0	>5	5		
	Perfume	0.5	_	0.6	0.5 "			
	Coloured anhydrous fatty	creams.						
		Cream 7	9					
10	Myristyl alcohol	2.0	2.0	2.0 par	ts by weight	10		
	Cetyl alcohol	4.0	4.0	4.0 "				
	Microcrystalline paraffin- hydrocarbons	20.0	20.0	20.0 "				
	Liquid paraffin	70.3	65.4	69.5 "				
15	Hardened ricinoleic acid	2.0	_	_ "		15		
	Aluminium stearate	_	2.0	"	-			
	Colloidal silicic acid	_	_	2.0 "				
	Titanium dioxide	0.7	1.0	0.5 "				
20	Sico-fat blue 50401 N = C-ext. blue 12, 0.2% in liquid paraffin	o.6	÷	_ "		20		
	Sico-fat red = C-red 2 0.05% in liquid paraffin	_	5.0					
25	Gloss pigment of the iriodine type	_	_	1.5 "		25		
	Scented oil	0.4	0.6	0.5 "				
	Anhydrous sun-protection cream. (Cream No. 10).							
Ю	Myristyl alcohol			2.0	parts by weight	30		
	Cetyl alcohol			4.0) "			
	Microcrystalline parai	fin-hydr	ocarbons	20.0	"	_		
	Liquid paraffin			68.5	5 "	â		
	Triglyceride of 12-hyd	2.0	"	,				
5	Titanium dioxide			1.0	"	35		
	Ethylhexyl-p-methoxy	-сіппаті	c acid ester	2.0	"			
	scented oil			0.5	99			

	Fat-free aqueous gels havin	g herb ext	racis.		
		Gel No. 11	12	13	
5	Carboxyvinylpolymer Car- bopol 940 [Registered Trade Mark]	0.6	_	— parts by w	eight
	Gelatine		4.0	"	
	Colloidal silicic acid	_	_	10.0 "	
-	Glycerine	8.0	15.0	40.0 "	
10	Sorbitol	_		30.0 "	1
	Ethanol	_	3.0	_ "	
	Triethanolamine	0.6	_	_ "	
	Herb extracts	1.0	2.0	5.0 "	
15	Ethoxylated partial glycerides of fatty acids C ₁ —C ₁₂	_	1.0	^{'n}	
20	Opacifier based on styrenecopolymer SC 9142 (BASF) [Regis- tered Trade Mark]		0.4	"	
	L-blue Z 5000 = C-blue 20, 1% aqueous solution	0.2	0.3	0.25 "	
25	40% suspension of zinc stearate	1.0	_	0.5 "	
	Preservative	0.2	0.2	0.2 "	
	Scented oil	0.5	0.5	0.5 "	
	Water	87.9	73.6	13.55 "	
	Fat-free aqueous gels of w	urious color	urs.		
30	-	Gel No. 14	15	16 17	
	Carboxyvinylcopolymer	ar- d 0.8	<u> </u>		parts by weight
35	Carboxymethylcellulose	_	5.0		"
	Methylcellulose			_ 2.	5 "
	Sodium alginate	_		2.0 —	**
	Glycerine	_	10.0	10.0 —	"
	1,2-propylene glycol	5.0	_	_ 5.	0 "
40	Sorbitol		_	5.0 —	,,

-6			1,486,634					6	
•	Fat-free aqueous gels of various colours.								
	-	Gel No.	15	16	17				
	Ethanol	5.0		5.0		"			
5	Triethanolamine	0.8				**		5	
	Moisturising agent Hydroviton [Registered Trade Mark]	đ 0.5	1.0		2.	o "	·		
10	Ethoxylated partial glycerides of fatty acids C ₈ —C ₁₂	1.0	_	2.0	0.	5 "	-	10	
15	Opacifier based on styrene copolymer SC 9142 BASF [Registered Trade Mark]	0.5	_		,	77		15	
	Lemon yellow Z 1100 = C-yellow 11 10% aqueous solution	0.8		0.6	_	-			
20	L-red Z 3000 = C-red 49 5% aqueous solution	_	0.2		0.4	, ,,		20	
	Gloss pigment of the iriodine type	_	1.0	1.5	—			200	
	Preservative	0.2	0.2	0.2	0.2	29			
-	Scented oil	0.5	0.5	0.5	0.5			-	
25	Water	84.9	82.1	73.2	88.9	"		25	٠.
	Fat-free aqueous sun-protect (Gel. No. 18).	ion gel.							
	Carboxylvinylpolymer, [Registered Trade	Carbopol Mark]	940	,	0.8 parts	by weigh	t		
30	Glycerine				5.0 "			30	
	Triethanolamine		•		1.5 "				
	Benzimidazole sulphon	ic acid		:	2.0 "				
	Polyethyleneglycol MG	1 400			1.0 "				
35	Opacifier based on styrene copolymer SC 9142 (BASF) [Registered Trade Mark] 0.3 "							35	3
	L-red Z 3000 = C-red 49 5% aqueous solution 0.3 "								
	Preservative			C).2 "				2
	Scented oil			O).5 "		-		
	Water			88	3.4 "				
40	Transparent plastic co anhydrous fatty creams and f	ntainers at-free aq	may be ueous g	filled w ls in thau	ith the	aforements show	itioned	40	

5

10

15

20

5

10

15

20

accompanying drawing. The numbers in the individual sectors in the drawing indicate the number of the cream or gel used. The consumer then has the opportunity of himself mixing the components to form the skin-care preparation which is suited to his skin-type and to the purp se for which it is used.

WHAT WE CLAIM IS:— 1. A skin-care preparation comprising at least one fat-free aqueous gel and at least one anhydrous fatty cream, the gel and the cream being present in a packaging container separately and without partitioning walls between said gel and cream, the gel and the cream being independently accessible in and separately removable from the container and in which the disposition of the gel and the

cream in the container enable the gel and the cream to be simultaneously removed from the container.

2. A skin-care preparation as claimed in claim 1, in which the packaging

container is a transparent glass or plastic container.

3. A skin-care preparation as claimed in any of the preceding claims, in which the or each fat-free gel and/or the or each anhydrous fatty cream contain colouring substances and/or pigments and/or other known additives for cosmetic preparations with the exception of emulsifying agents.

4. A skin-care preparation as claimed in claim 1 substantially as hereinbefore described in the Example.

> W. P. THOMPSON & CO., Coopers Building, Church Street, Liverpool, L1 3AB. Chartered Patent Agents.

Printed for Her Majesty's Stationery Office by the Courier Press, Leamington Spa, 1977.
Published by the Patent Office, 25 Southampton Buildings, London, WC2A 1AY, from which copies may be obtained.